




# Bearing USA CORP.

## INA RASEY80 bearing units



RASEY80 Bearing 2D drawings and 3D CAD models

Bearing No. RASEY80

Bore Diameter	80 mm
d	80 mm
S1	49,3 mm
Thread (Q)	Rp1/8
A	78 mm
A1	55 mm
B	82,6 mm
H	89 mm
H1	30 mm
H2	175 mm
J	232 mm
L	290 mm
N	26 mm
N1	35 mm
Weight	8,41 Kg
Basic dynamic load rating (C)	72 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	11.266
EAN	4012802113327
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block



## Bearing USA CORP.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	26 Millimeter
Relubricatable	Yes
Insert Part Number	GYE80KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Standard Shaft Height
Long Description	2 Bolt Pillow Block; 80MM Bore; 88.9MM Base to Center Height; Set Screw Mount; Ball Bearing; 224MM Minimum Bolt Spacing; 240MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubbe
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	RASEY80
Weight / LBS	19.03
Bolt Spacing Maximum	9.449 Inch   240Millimeter
Nominal Bolt Center to Center	9.1 Inch   232 Millimeter
Bolt Spacing Minimum	8.819 Inch   224Millimeter
Bore	3.15 Inch   80 Millimeter
Length Thru Bore	3.252 Inch   82.6 Millimeter



## Bearing USA CORP.

Actual Bolt Center to Center	0 Inch   0Millimeter
Base to Center Height	3.5 Inch   88.9 Millimeter